




HDS 4.0/22 Ea ST LP 230V 1ph


The innovative, rugged design of the Kärcher Classic HDS LP-heated cabinet pressure washer delivers up to 5 GPM at 3,000 PSI of industrial power.



HDS 4.0/22 Ea ST LP 230V 1ph

Technical data

Water Volume	GPM	4,5
Operating pressure	PSI	2200
Connected load	A	30
Power rating	hp	9,5
Weight	lbs	695
Dimensions (L x W x H)	in	49 x 24 x 48
Power supply	Ph / V / Hz	1 / 230 / 60



		Order no.	ID		Length	RRP	Description	
Standard with unions on both sides								
High-pressure hose packaged	1	6.391-342.0	ID 8	315 bar	10 m			▲
Longlife 400 with unions on both sides								
High-pressure hose packaged	2	6.391-354.0	ID 8	400 bar	10 m			▲
Longlife food design with screw connections at both ends								
High pressure hose food DN 8 / 10 m	3	6.391-864.0	ID 8	400 bar	10 m			▲
High-pressure hose food industry 400 bar, 20 m, DN 8, including rotary coupling	4	6.391-887.0	ID 8	400 bar	20 m			▲

□ Available accessories. ▲ Extension hose.




		Order no.					RRP	Description	
Remote control									
Remote control I-O, hot/cold, detergent 1-2	1	2.744-008.0							<input type="checkbox"/>

Available accessories. ▲ Extension hose.



		Order no.	Water Volume				RRP	Description	
Easy Press high-pressure trigger gun with holding force reduction (Kärcher patent)									
Easy press high-pressure trigger gun with softgrip	1	4.775-466.0							<input type="checkbox"/>

Available accessories. ▲ Extension hose.



		Order no.	Length				RRP	Description	
Automatic, self-winding hose reels									
Swivel holder	1	2.639-931.0							<input type="checkbox"/>
Add-on kit hose reel plastics	2	6.392-975.0	20 m						<input type="checkbox"/>
Add-on kit hose reel	3	6.392-965.0	20 m						<input type="checkbox"/>
Hose reel, automatic, 20 m, painted	4	2.639-919.0	20 m						<input type="checkbox"/>

Available accessories. ▲ Extension hose.