



## HDS 2.3/12 C Ed

Contemp. eco!efficiency mode, easy 1-button operation, integrated tanks, built-in hose/cable storage, accessory compartment, large wheels and steering roller.



### 1 eco!efficiency mode

- Economical and environmentally friendly - even during longer periods of use.

### 2 Economical

- eco!efficiency mode - economical and environmentally friendly, even during longer periods of use.
- Reduces fuel consumption and CO2 emissions by 20%.

### 3 Storage

- Lockable accessory compartment for nozzles, tools, etc.
- Large hose hook or hose reel.

### 4 Large tilting aid

- For easy tilting when negotiating obstacles such as steps and kerbs.



## HDS 2.3/12 C Ed

■ Economical ecoefficiency mode

### Technical data

Water Volume	GPM	2,3
Operating pressure	PSI	1100
Connected load	hp	2,8
Operating temp. max	°F	86
Weight	lbs	270
Dimensions (L x W x H)	in	42 x 26 x 36
Power supply	Ph / V / Hz	1 / 110-120 / 60

### Equipment

Anti-twist system (AVS)	-	Switch-CHEM-System	-
Low fuel cut-out	■		
Exhaust gas temperature limiter	■		
Three piston axial pump	with stainless steel pistons		
Triple nozzle (0°/25°/40°)	Manual		
Trigger gun	Easy-press trigger gun		
Two-way nozzle	■		
Pressure switch control	■		
Trigger gun with soft grip	■		
Integral fuel and detergent tank	■		
SDS system	■		

■ Included in delivery.



		Order no.	ID		Length	RRP	Description	
<b>Standard with unions on both sides</b>								
High-pressure hose packaged	1	6.391-342.0	ID 8	315 bar	10 m			▲
High-pressure hose, 30 m DN 8, including rotary coupling	2	6.390-293.0	ID 8	315 bar	30 m			▲
<b>Longlife 400 with unions on both sides</b>								
High pressure hose DN 6, 10 m, drehbar.l	3	6.391-883.0	ID 6	400 bar	10 m			▲
High-pressure hose packaged	4	6.391-354.0	ID 8	400 bar	10 m			▲
High-pressure hose Longlife 400, 30 m DN 8, including rotary coupling	5	6.390-294.0	ID 8	400 bar	30 m			▲
High-pressure hose 1.5 m, DN 8, including connectors	6	6.390-178.0	ID 8	400 bar	1,5 m			□
<b>Longlife food design with screw connections at both ends</b>								
High pressure hose food DN 8 / 10 m	7	6.391-864.0	ID 8	400 bar	10 m			▲
High-pressure hose food industry 400 bar, 20 m, DN 8, including rotary coupling	8	6.391-887.0	ID 8	400 bar	20 m			▲
<b>Standard</b>								
High-pressure hose, 10 m, DN 6, 300 bar, AVS trigger gun connection	9	6.391-875.0	ID 6	300 bar	10 m			□
<b>Longlife 400</b>								
High pressure hose DN 6, 10 m, Longlife	10	6.391-882.0	ID 6	400 bar	10 m			□
High-pressure hose packaged	11	6.391-351.0	ID 8	400 bar	10 m			□
High-pressure hose Longlife 400, 20 m DN 8, AVS trigger gun connector	12	6.390-208.0	ID 8	400 bar	20 m			□
<b>Special hoses</b>								
High-pressure hose 1.5 m, DN 8, including connectors, outlet bend	13	6.388-886.0	ID 8	400 bar	1,5 m			□

□ Available accessories. ▲ Extension hose.



1



2-3

		Order no.	Water Volume				RRP	Description	
<b>Trigger guns</b>									
High end high-pressure trigger gun	1	4.775-823.0							<input type="checkbox"/>
<b>Quick connect</b>									
Quick coupling	2	6.401-458.0							<input type="checkbox"/>
Plug nipple	3	6.401-459.0							<input type="checkbox"/>

Available accessories.    ▲ Extension hose.



		Order no.	Nozzle size				RRP	Description	
<b>Power nozzle spray angle 25°</b>									
25° power nozzle for applying cleaning agent	1	2.884-521.0	250						<input type="checkbox"/>

Available accessories.     Extension hose.



		Order no.					RRP	Description	
<b>Coupling parts</b>									
	1	6.987-705.0							<input type="checkbox"/>
<b>Rotary coupling</b>									
	2	4.401-091.0							<input type="checkbox"/>
<b>Adapters</b>									
	3	4.424-004.0							<input type="checkbox"/>

Available accessories.    ▲ Extension hose.



		Order no.	Water Volume				RRP	Description	
<b>Cup foam lance</b>									
Cup foam lance	1	6.394-668.0	1200 l/h						<input type="checkbox"/>

Available accessories.    ▲ Extension hose.



1



2

		Order no.	Length				RRP	Description	
<b>Automatic, self-winding hose reels</b>									
Add-on kit hose reel plastics	1	6.392-975.0	20 m						<input type="checkbox"/>
Add-on kit hose reel	2	6.392-965.0	20 m						<input type="checkbox"/>

Available accessories.     Extension hose.





		Order no.		Length		RRP	Description	
<b>Spray lance</b>								
Lance 250 mm, non-rotatable	1	4.760-667.0		250 mm				<input type="checkbox"/>
<b>Double lance</b>								
Double lance 960 mm	2	6.394-665.0	310 bar	960 mm				<input type="checkbox"/>
<b>Gutter cleaner</b>								
Gutter cleaning lance	3	2.642-305.0						<input type="checkbox"/>

Available accessories.    ▲ Extension hose.