



HDS 4.0/32 Pe Cage

This skid-mounted hot water pressure washer is designed with Kärcher's unique 12V down-draft burner system. The highly compact burner is more than 92% efficient, resulting in better heat transfer using much less fuel.



HDS 4.0/32 Pe Cage

Technical data

Water Volume	GPM	4
Operating pressure	PSI	3200
Weight	lbs	692
Dimensions (L x W x H)	in	51 x 33 x 43

Equipment

Anti-twist system (AVS)	-
Electric starter	■
Servo Control	-
Sturdy tubular steel frame for handling with crane	■

■ Included in delivery.



		Order no.	ID		Length	RRP	Description	
Standard with unions on both sides								
High-pressure hose packaged	1	6.391-342.0	ID 8	315 bar	10 m			▲
Longlife 400 with unions on both sides								
High-pressure hose packaged	2	6.391-354.0	ID 8	400 bar	10 m			▲
High-pressure hose Longlife 400, 15 m, DN 8, including rotary coupling	3	6.389-709.0	ID 8	400 bar	15 m			▲
High-pressure hose 1.5 m, DN 8, including connectors	4	6.390-178.0	ID 8	400 bar	1,5 m			□
Longlife food design with screw connections at both ends								
High pressure hose food DN 8 / 10 m	5	6.391-864.0	ID 8	400 bar	10 m			▲
High-pressure hose food industry 400 bar, 20 m, DN 8, including rotary coupling	6	6.391-887.0	ID 8	400 bar	20 m			▲
Longlife 400								
High-pressure hose packaged	7	6.391-351.0	ID 8	400 bar	10 m			□
Special hoses								
High-pressure hose 1.5 m, DN 8, including connectors, outlet bend	8	6.388-886.0	ID 8	400 bar	1,5 m			□

□ Available accessories. ▲ Extension hose.



1



2-3

		Order no.	Water Volume			RRP	Description	
Trigger guns								
High end high-pressure trigger gun	1	4.775-823.0						<input type="checkbox"/>
Quick connect								
Quick coupling	2	6.401-458.0						<input type="checkbox"/>
Plug nipple	3	6.401-459.0						<input type="checkbox"/>

Available accessories. ▲ Extension hose.



		Order no.	Nozzle size				RRP	Description	
Power nozzle spray angle 25°									
25° power nozzle for applying cleaning agent	1	2.884-521.0	250						<input type="checkbox"/>

Available accessories. ▲ Extension hose.



		Order no.				RRP	Description	
Rotary coupling								
Rotary coupling	1	4.401-091.0						<input type="checkbox"/>

Available accessories. ▲ Extension hose.



		Order no.	Length				RRP	Description	
Automatic, self-winding hose reels									
Add-on kit hose reel plastics	1	6.392-975.0	20 m						<input type="checkbox"/>
Add-on kit hose reel	2	6.392-965.0	20 m						<input type="checkbox"/>

Available accessories. Extension hose.



1



2

		Order no.		Length		RRP	Description	
Spray lance								
Lance 250 mm, non-rotatable	1	4.760-667.0		250 mm				<input type="checkbox"/>
Double lance								
Double lance 960 mm	2	6.394-665.0	310 bar	960 mm				<input type="checkbox"/>

Available accessories. ▲ Extension hose.